$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 1 of 5 **SDS-135**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 4.2

SDS Revision Date: 4/12/2018

1.3 1.4 1.5 1.6 1.7	Product Name: Chemical Name: Synonyms: Trade Names: Product Use:	Methacrylate I		T WHITE	SCUL	PTU	RE (GEL									
1.2 1.3 1.4 1.5 1.6 1.7	Synonyms: Trade Names:	NA	Mixture					OPI AXXIUM SOFT WHITE SCULPTURE GEL									
1.4 1.5 1.6 1.7	Trade Names:			Methacrylate Mixture													
1.5 1.6 1.7																	
1.6 1.7	Droduct Heat	NA															
1.7			Professional Use Only ORL Products Tea														
	Distributor's Name: Distributor's Address:	OPI Products,			24000 110												
1.0	Emergency Phone:			alabasas, CA 9			4 000	0 (0)	ON 4	0077							
1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) 1.9 Business Phone / Fax: Tel: +1 (818) 999-5112										03//)						
1.9	Busiliess Filotie / Fax.	Tel: +1 (818)	999-5112														
			2. H	AZARDS	IDENT	IFIC	ATIO	ON									
2.1	Hazard Identification:	of [NOHSC: 10 WARNING! RESPIRATOR	088 (2004)] ar MAY CAUS RY IRRITATIO		(Australia) RGIC SK	(IN RE						•			on criter		
2.2	Label Elements:	Classification: Skin Sens. 1A; Eye Irrit. 2B; STOT SE 3 Hazard Statements (H): H317 – May causes allergic skin reaction. H320 – Causes eye irritation. H335 – May cause respiratory irritation. Precautionary Statements (P): P264 – Wash exposed skin areas thoroughly with soap and water after handling. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/eye protection/face protection. P280 – Wear protective gloves/eye protection. P302+P352 – IF ON SKIN: Wash with soap and water. P333+P313 – If skin irritation or a rash occurs: Get medical advice/attention. P305+P351+P338 – IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P321 – For specific first aid treatment See Section 4 of this Safety Data Sheet. P370+P378 - In case of fire, CO ₂ , Halon (if permitted), dry chemical, or foam for extinction. P403+P235 – Store in a well-ventilated place. Keep cool. P501 – Dispose of contents/container to								!>							
2.3	Other Warnings:	KEEP OUT O		e or disposal fa	aomity (10	D1).							ı				
		3. CC	MPOSIT	TON & INC	GREDI	ENT	INF	ORI	MAT	TON							
								1			LIMITS	IN AIR (r					
							pm		NOHS			OSH/ ppm		4			
							1	ES-	ES-	ES-				1			
	CAL NAME(S)	CAS No.	NA	NA	% 60-100	NA NA	STEL NA	TWA NF	NF	NF.	NA NA	STEL NA	. IDLH NA	- 0	THER		
OPO	LATES/CARBMATE LYMER (POLYURETHANE LATE OLIGOMER)		· L	nronic 4; H315, H		Į W C	1100	<u> </u>	J. W.	Įi vi	Įi W C	1101	1.0.				
	HYLENE GLYCOL HACRYLATE	109-16-0	OZ4100000	203-652-6	15-40	NA	NA	NF	NF	NF	NA	NA	NA				
ILICA	DIMETHYL SILYLATE	68611-44-9	NA	271-893-4	7.0-13	NA	NA	NF	NF	NF	NA	NA	NE				
ENZO	OYL ISOPROPANOL	7473-98-5 Acute Tox. 4; I	NA H302	231-272-0	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA				
OLYC	QUATERNIUM 37	26161-33-1 Chronic Ag. To	KQ6300000	NA	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA				
	YLENE GLYCOL RYLATE	68583-51-7	ZC0110000	271-516-3	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA				
	TRIDECETH 6	NA	NA	NA	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA				
1 778	91 (TITATNIUM DIOXIDE)	13463-67-7	XR2275000	236-675-5	0.1-1	(10)	NA	NF	NF	NF	(10)	NA	NA				
			4.	FIRST AI	D ME	ASU	RES										
	First Aid:			not induce von													
4.1		Eyes: S	vas swallowed Splashes are n		ver, if pro	duct ge	ets in t			sh with	copio	us am	ounts o	of lukewa	arm wat		

Page 2 of 5

SAFETY DATA SHEET **SDS-135** Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.2 SDS Revision Date: 4/12/2018 4. FIRST AID MEASURES - cont'd 42 Effects of Exposure: If product is swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervous Ingestion: system depression. Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Eyes: May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact. Skin: Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapors Inhalation: in excess of the levels listed in Section 3 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). Symptoms of Overexposure: 4.3 Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. 44 Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas 4.5 Chronic Health Effects: None known. 4.6 Target Organs: Eyes, Skin Pre-existing dermatitis, other skin conditions, and disorders of the 47 Medical Conditions HEALTH 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 1 PHYSICAL HAZARDS 1 В PROTECTIVE EQUIPMENT **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Exothermic polymerization may cause containers to rupture. Cool containers with water to prevent polymerization. This product is a non-flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO₂, NO_x). 5.2 Extinguishing Methods: CO₂, Halon (if permitted), Dry Chemical, Foam 5.3 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, 7.1 Work & Hygiene Practices: drink or smoke while handling product. 72 Storage & Handling: Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (See Section 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate. 7.3 Special Precautions: Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (mg/m³) ES-STEL STEL STEL IDLH TI V PFI CHEMICAL NAME(S) TWA PEAK (10)NA NF NF NF NA CI 77891 (TITATNIUM DIOXIDE) (10)NA 8.2 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station or washbasin is available in case of exposure to eyes.

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 3 of 5 SDS-135

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.2 SDS Revision Date: 4/12/2018 8. EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd 8.1 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Controls: Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes 8.2 Respiratory Protection No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, EU member states, or Australia. 8.3 Eye Protection: Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. Hand Protection: 8.4 If anticipated that prolonged & repeated skin contact will occur during use of this product, wear neoprene or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada or the EU member states. 8.5 No special body protection is required under typical circumstances of use and handling. Body Protection: necessary, refer to appropriate standards of Canada, the EU member states, or U.S. OSHA 9. PHYSICAL & CHEMICAL PROPERTIES Appearance 9.1 White viscous gel 92 Odor Characteristic acrylates odor 9.3 Odor Threshold: 9.4 NA Melting Point/Freezing Point: 9.5 NF 9.6 Initial Boiling Point/Boiling > 212 °F Range ND 9.7 Flashpoint Upper/Lower Flammability 9.8 ND Limits: Vapor Pressure: 99 NE Vapor Density 9.10 NA Relative Density: 9.11 1.1036 9 12 Solubility Immiscible Partition Coefficient (log Pow): 9 13 NA 9.14 **Autoignition Temperature** NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: 300,000 cPs 9.17 Other Information: NA 10. STABILITY & REACTIVITY Stability: Stable under ambient conditions when stored properly (See Section 7, Storage and Handling) 10.1 If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and 10.2 Hazardous Decomposition Products: carbon oxide gases (e.g., CO, CO₂) May occur, if exposed to extremely high temperatures. Hazardous Polymerization: 10.3 10.4 Conditions to Avoid None known This product is incompatible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., 10.5 Incompatible Substances hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide) 11. TOXICOLOGICAL INFORMATION Routes of Entry Inhalation: YES Absorption: YES 11.1 YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. This data has not been presented in this document. Acute Toxicity: 11.3 See Section 4.4 Chronic Toxicity: See Section 4.5 11.4 11.5 Suspected Carcinogen: NA Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. 11.6 This product is not reported to produce mutagenic effects in humans Mutagenicity: Embryotoxicity This product is not reported to produce embryotoxic effects in humans This product is not reported to cause teratogenic effects in humans. Teratogenicity: Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3 11.8 Biological Exposure Indices NE 11.9 Physician Recommendations: Treat symptomatically.

 $O \cdot P \cdot I$

SAFETY DATA SHEET

Page 4 of 5 SDS-135

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.2 SDS Revision Date: 4/12/2018 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data available for this product Effects on Plants & Animals: 12.2 There are no specific data available for this product 12.3 Effects on Aquatic Life: There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Waste disposal must be in accordance with appropriate federal, state, and local regulations 13.2 Special Considerations: NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR): **NOT REGULATED** IMDG (OCN): 14.3 **NOT REGULATED** TDGR (Canadian GND): 14 4 **NOT REGULATED** 14 5 ADR/RID (FU): **NOT REGULATED** 14.6 SCT (MEXICO): **NOT REGULATED** 14.7 ADGR (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION 15.1 SARA Reporting This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. Requirement SARA Threshold Planning 15.2 There are no specific Threshold Planning Quantities for the components of this product Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory or are otherwise exempt 15.4 CERCLA Reportable Quantity (RQ): Other Federal Requirements: 15.5 This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics) 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: 15.8 This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information, go to www.P65warnings.ca.gov. 16. OTHER INFORMATION MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. MAY CAUSE 16.1 Other Information: RESPIRATORY IRRITATION. Use only as directed. Irritating to eyes, skin and respiratory system. Keep container tightly closed in a cool place. Avoid contact with skin and eyes. Wear eye protection. Do not take internally. Keep away from heat and open flame. KEEP OUT OF REACH OF CHILDREN! 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: OPI Products, Inc. 4500 Park Granada Blvd Calabasas, CA 91302 USA Tel: +1 (818) 999-5112 http://www.opi.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com

SAFETY DATA SHEET

Page 5 of 5 **SDS-135**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision Date: 4/12/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number			
RTECS No. Registry of Toxic Effects of Chemical Substances Number				
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number			

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists				
IDLH Immediately Dangerous to Life and Health					
NOHSC National Occupational Health and Safety Commission (Australia)					
OSHA U.S. Occupational Safety and Health Administration					
PEL Permissible Exposure Limit					
STEL Short Term Exposure Limit					
TLV Threshold Limit Value					
TWA	Time Weighted Average				

FIRST AID MEASURES:

CPR	
	stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard				
1	Slight Hazard				
2	2 Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				

HEALTH FLAMMABILITY PHYSICAL HAZARDS PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:









(Cy Face Shield &











Full Face Respirator







OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic						
Irrit	Irritant						
NA	Not Available						
NR	No Results						
ND	Not Determined						
NE	Not Established						
NF	Not Found						
SCBA	Self-Contained Breathing Apparatus						
Sens	Sensitization						
STOT RE	Specific Target Organ Toxicity – Repeat Exposure						
STOT SE	Specific Target Organ Toxicity – Single Exposure						

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:								
Autoignition Temperature Minimum temperature required to initiate combustion in air with no other so of ignition								
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source							
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source							

HAZARD RATINGS:

Minimal Hazard		FLAMMABILITY
1 Slight Hazard		
2 Moderate Hazard		REACTIVITY
3 Severe Hazard		
4 Extreme Hazard		
ACD Acidic		\sim 1 \times 2 \rightarrow
ALK Alkaline		
COR Corrosive		/ \ \ \ \
W Use No Water		HEALTH 🔪
OX Oxidizer		SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

	(*)	(\odot	®		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compress ed	Flammabl e	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\limits		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment