$0.6 \cdot 1$

SAFETY DATA SHEET

Page 1 of 5 SDS-137

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.3 SDS Revision Date: 4/12/2018 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: OPI AXXIUM CLEAR SCULPTURE GEL 12 Chemical Name Methacrylate Mixture 1.3 Synonyms NA 1.4 Trade Names AX 122, AX 124 1.5 Product Use: Professional Use Only 1.6 Distributor's Name OPI Products, Inc. 1.7 Distributor's Address: 4500 Park Granada Blvd, Calabasas, CA 91302 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) 1.9 Business Phone / Fax: Tel: +1 (818) 999-5112 2. HAZARDS IDENTIFICATION 21 Hazard Identification: This product is classified as a hazardous substance but NOT as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. MAY CAUSE WARNING! RESPIRATORY IRRITATION. Classification: Skin Sens. 1A; Eye Irrit. 2B; STOT SE 3 2.2 Label Elements: Hazard Statements (H): H317 - May causes allergic skin reaction. H320 - Causes eye irritation. H335 - May cause respiratory irritation. Precautionary Statements (P): P264 - Wash exposed skin areas thoroughly with soap and water after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/eye protection/face protection. P280 - Wear protective gloves/eye protection. P302+P352 - IF ON SKIN: Wash with soap and water. P333+P313 - If skin irritation or a rash occurs: Get medical advice/attention. P305+P351+P338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do continue rinsing. P321 - For specific first aid treatment (See Section 4 of this Safety Data Sheet). P370+P378 - In case of fire, CO₂, Halon (if permitted), dry chemical, or foam for extinction. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). 2.3 Other Warnings: KEEP OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA mag ppm ES-ES-RTECS No. EINECS No. TLV STEL PEL STEL IDLH CHEMICAL NAME(S) CAS No. TWA PEAK OTHER STEL ACRYLATES/CARBAMATE NA NA NA NA NA NA 40-70 NA NA NF NF NF COPOLYMER (POLYURETHANE ACRYLATE OLIGOMER) OZ4100000 109-16-0 206-652-6 15-40 NA NA NF NF NF NA NA NA TRIETHYLENEGLYCOL DIMETHACRYLATE 68611-44-9 NA 271-893-4 NF NF NF NA NA 7-13 (6) NA (6) DUST SILICA DIMETHYL SILYLATE 868-77-9 OZ4725000 212-782-2 NF NF NF 1-5 NA NA NA NA NA HYDROXYETHYL METHACRYLATE (HEMA) Skin Irrit. 2, Skin Sens. 1, Eye Irrit.2; H315, H317, H319 947-19-3 NA 213-426-9 0.1-1 NF NF NF NA NA NA NA NA HYDROXYCYCLOHEXYL PHENYL KETONE Acute Tox. Oral 5; Acute Aq. Tox. 3; H303, H402 7473-98-5 231-272-0 NF NF NF NA NA NA NA NA NA 0.1-1 BENZOYL ISOPROPANOL Acute Tox. 4; H302 4. FIRST AID MEASURES 4.1 First Aid If ingested, do not induce vomiting. Contact the nearest Poison Control Center or local emergency Ingestion: number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm Eyes: water for at least 15 minutes. If irritation occurs, contact a physician. If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough Skin: washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Inhalation: Remove victim to fresh air.

SAFETY DATA SHEET

Page 2 of 5

SDS-137 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.3 SDS Revision Date: 4/12/2018 4. FIRST AID MEASURES - cont'd 42 Effects of Exposure: If product is swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervous Ingestion: system depression. Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Eyes: May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact. Skin: Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapors Inhalation: in excess of the levels listed in Section 3 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). 4.3 Symptoms of Overexposure: Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. Acute Health Effects: 4.4 Mild to moderate irritation to eyes and skin near affected areas. 4.5 Chronic Health Effects: None known. 4 6 Target Organs: Eyes, Skin. Medical Conditions 47 Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 1 PHYSICAL HAZARDS 1 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: 5.1 Exothermic polymerization may cause containers to rupture. Cool containers with water to prevent polymerization. This product is a non-flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO₂, NO_x). 5.2 Extinguishing Methods: CO₂, Halon (if permitted), Dry Chemical, Foam 5.3 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASURES Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product. 7.2 Storage & Handling: Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (See Section 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate. 7.3 Special Precautions: Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: NOHSC OTHER 8.1 **ACGIH OSHA** ppm (mg/m³) TLV STEL ES-TWA ES-STEL ES-PEAK STEL CHEMICAL NAME(S) PEL IDLH SILICA DIMETHYL SILYLATE (6) NA NA DUST 8.2 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure

that an eyewash station, sink or washbasin is available in case of exposure to eyes.

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 3 of 5 SDS-137

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 4/12/2018 8. EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, EU member states, or Australia. 8.4 Eve Protection: Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear neoprene or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada or the EU member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. necessary, refer to appropriate standards of Canada, the EU member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES 9 1 Appearance: Clear viscous gel Odor Characteristic acrylate odor. Odor Threshold: 9.3 NA 9.4 ND Melting Point/Freezing Point: 9.5 NE 9.6 Initial Boiling Point/Boiling > 212 °F Range: 9.7 Flashpoint ND Upper/Lower Flammability 9.8 ND Limits: 9.9 Vapor Pressure: NE 9.10 Vapor Density NA 9.11 Relative Density: 1.1190 9.12 Solubility Immiscible Partition Coefficient (log Pow): 9.13 NA 9.14 Autoignition Temperature NA 9.15 Decomposition Temperature NA Viscosity: 165,000 cPs 9.16 9.17 Other Information: ND 10. STABILITY & REACTIVITY 10.1 Stability Stable under ambient conditions when stored properly (See Section 7, Storage and Handling). Hazardous Decomposition If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and 10.2 Products: carbon oxide gases (e.g., CO, CO₂). Hazardous Polymerization: 10.3 May occur, if exposed to extremely high temperatures. Conditions to Avoid 10.4 Incompatible Substances 10.5 This product is incompatible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide) 11. TOXICOLOGICAL INFORMATION Absorption: YES Inhalation: YES Routes of Entry Ingestion: 11.1 YES Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. This data has not been presented in this document. Acute Toxicity: See Section 4.4 See Section 4.5 11.4 Chronic Toxicity 11.5 Suspected Carcinogen NA 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans Irritancy of Product: 11.7 See Section 4.3 Biological Exposure Indices 11.8 NE 119 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION There are no specific data available for this product. **Environmental Stability** 12.1 Effects on Plants & Animals: There are no specific data available for this product. 12.2 There are no specific data available for this product 12.3 Effects on Aquatic Life

 $O \cdot P \cdot I$

SAFETY DATA SHEET

Page 4 of 5 SDS-137

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 4/12/2018 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Waste disposal must be in accordance with appropriate federal, state, and local regulations. 13.2 Special Considerations: 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 14.1 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR): NOT REGULATED 14.3 IMDG (OCN): NOT REGULATED TDGR (Canadian GND): 14.4 **NOT REGULATED** 14.5 ADR/RID (EU): NOT REGULATED 14.6 SCT (MEXICO): **NOT REGULATED** ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: TSCA Inventory Status: 15.3 The components of this product are listed on the TSCA Inventory or are otherwise exempt. CERCLA Reportable Quantity 15.4 NA (RQ): 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics) Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the SDS contains 15.6 all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: Hydroxyethyl Methacrylate (HEMA) is found on the following state criteria list: NJ and PA No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information, go to www.P65warnings.ca.gov. 16. OTHER INFORMATION 16.1 Other Information: MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Use only as directed. Irritating to eyes, skin and respiratory system. Keep container tightly closed in a cool place. Avoid contact with skin and eyes. Wear eye protection. Do not take internally. Keep away from heat and open flame. **KEEP OUT OF REACH OF CHILDREN!** Terms & Definitions: 16.2 See last page of this Safety Data Sheet. 16.3 Disclaimer This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: OPI Products, Inc. 4500 Park Granada Blvd Calabasas, CA 91302 USA Tel: +1 (818) 999-5112 http://www.opi.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com

SAFETY DATA SHEET

Page 5 of 5 **SDS-137**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 4.3

SDS Revision Date: 4/12/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number			
RTECS No. Registry of Toxic Effects of Chemical Substances Number				
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number			

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
IDLH	Immediately Dangerous to Life and Health			
NOHSC	National Occupational Health and Safety Commission (Australia)			
OSHA	U.S. Occupational Safety and Health Administration			
PEL	Permissible Exposure Limit			
STEL	Short Term Exposure Limit			
TLV	Threshold Limit Value			
TWA	Time Weighted Average			

FIRST AID MEASURES:

CPR	
	stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			

HEALTH FLAMMABILITY PHYSICAL HAZARDS PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:





























OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic			
Irrit	Irritant			
NA	Not Available			
NR	No Results			
ND	Not Determined			
NE	Not Established			
NF	Not Found			
SCBA	Self-Contained Breathing Apparatus			
Sens	Sensitization			
STOT RE	Specific Target Organ Toxicity – Repeat Exposure			
STOT SE	Specific Target Organ Toxicity – Single Exposure			

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:						
Autoignition Temperature Minimum temperature required to initiate combustion in air with no other source of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	\sim 1 \times 2 \rightarrow
ALK	Alkaline	
COR	Corrosive	/ \ \ \ \
W	Use No Water	HEALTH 🔪
OX	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals				
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{Io}	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects				
TC, TC _o , LC _{io} , & LC _o					
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TL _m	Median threshold limit				
log Kow or log Koc	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	anadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(*)	(2)		Θ	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compress ed	Flammabl e	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\limits		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment