Printing date 01/09/2023 Reviewed on 01/04/2023

1 Identification

· Product identifier

· Trade name: OPI Nail Lacquer Generic

- · Application of the substance / the mixture Nail Polish
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Wella International Operations Switzerland Sarl, Chemin Louis-Hubert 1-3, 1213 Petit-Lancy, Switzerland

· Information department: Wella SDS Info Team

· Emergency telephone number:

CHEMTREC Emergency number: +1-704-741-5970

CHEMTREC: +1 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Butyl acetate

ethyl acetate

isopropyl alcohol

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

(Contd. on page 2)

Printing date 01/09/2023 Reviewed on 01/04/2023

Trade name: OPI Nail Lacquer Generic

(Contd. of page 1)

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | | |
|-------------------------|-------------------|------------|--|
| 123-86-4 | Butyl acetate | >25-≤50% | |
| 141-78-6 | ethyl acetate | ≥20-≤25% | |
| 9004-70-0 | Nitrocellulose | >10-≤25% | |
| 67-63-0 | isopropyl alcohol | >2.5-<10% | |
| 13463-67-7 | titanium dioxide | ≥0.1-≤2.5% | |

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 01/09/2023 Reviewed on 01/04/2023

Trade name: OPI Nail Lacquer Generic

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| 123-86-4 | Butyl acetate | 5 ppm | |
|---------------|-------------------------|-------------------------|--|
| 141-78-6 | 6 ethyl acetate | | |
| 67-63-0 | 0 isopropyl alcohol | | |
| 13463-67-7 | titanium dioxide | 30 mg/m³ | |
| 1309-37-1 | Iron Oxides (CI 77491) | 15 mg/m³ | |
| 7631-86-9 | Silica | 18 mg/m³ | |
| 7727-43-7 | barium sulfate | | |
| <i>PAC-2:</i> | | ' | |
| 123-86-4 | Butyl acetate | 200 ppm | |
| 141-78-6 | ethyl acetate | 1,700 ppn | |
| 67-63-0 | isopropyl alcohol | 2000* ррг | |
| 13463-67-7 | titanium dioxide | 330 mg/m | |
| 1309-37-1 | Iron Oxides (CI 77491) | 360 mg/m | |
| 7631-86-9 | Silica | 740 mg/m | |
| 7727-43-7 | 7 barium sulfate | | |
| <i>PAC-3:</i> | | | |
| 123-86-4 | Butyl acetate | 3000* ppm | |
| 141-78-6 | ethyl acetate | 10000** ррг | |
| 67-63-0 | isopropyl alcohol | 12000** ppm | |
| 13463-67-7 | titanium dioxide | 2,000 mg/m³ | |
| 1309-37-1 | Iron Oxides (CI 77491) | 2,200 mg/m ³ | |
| 7631-86-9 | Silica | $4,500 \text{ mg/m}^3$ | |
| 7727-43-7 | 7 barium sulfate 990 mg | | |

Reviewed on 01/04/2023 Printing date 01/09/2023

Trade name: OPI Nail Lacquer Generic

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| 123- | 86-4 Butyl acetate |
|-------|--|
| PEL | Long-term value: 710 mg/m³, 150 ppm |
| REL | Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm |
| TLV | Short-term value: 150 ppm Long-term value: 50 ppm |
| 141- | 78-6 ethyl acetate |
| PEL | Long-term value: 1400 mg/m³, 400 ppm |
| REL | Long-term value: 1400 mg/m³, 400 ppm |
| TLV | Long-term value: 400 ppm |
| 67-6. | 3-0 isopropyl alcohol |
| PEL | Long-term value: 980 mg/m³, 400 ppm |
| REL | Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm |
| TLV | Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4 |
| | (Contd. on page 5) |

(Contd. on page 5)

Printing date 01/09/2023 Reviewed on 01/04/2023

Trade name: OPI Nail Lacquer Generic

(Contd. of page 4)

· Ingredients with biological limit values:

67-63-0 isopropyl alcohol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Color: According to product specification

Odor: Characteristic
 Odor threshold: Not determined.

(Contd. on page 6)

Printing date 01/09/2023 Reviewed on 01/04/2023

Trade name: OPI Nail Lacquer Generic

| | (Contd. of page | | | |
|---|--|--|--|--|
| pH-value: | Not determined. | | | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | Undetermined. 77-78 °C (170.6-172.4 °F) | | | |
| Flash point: | -1 °C (30.2 °F) | | | |
| Flammability (solid, gaseous): | Highly flammable. | | | |
| Decomposition temperature: | Not determined. | | | |
| Auto igniting: | Product is not selfigniting. | | | |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. | | | |
| Explosion limits: Lower: Upper: | 1.2 Vol % 11.5 Vol % | | | |
| Vapor pressure at 20 °C (68 °F): | 97 hPa (72.8 mm Hg) | | | |
| Density: Relative density Vapor density Evaporation rate | Not determined. Not determined. Not determined. Not determined. | | | |
| Solubility in / Miscibility with Water: | Not miscible or difficult to mix. | | | |
| Partition coefficient (n-octanol/wate | e r): Not determined. | | | |
| Viscosity: Dynamic: Kinematic: | Not determined. Not determined. | | | |
| Solvent content: Organic solvents: VOC content: | 72.8 % 72.84 % 728.4 g/l / 6.08 lb/gal | | | |
| Solids content: | 21.5 % | | | |
| Other information | No further relevant information available. | | | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 01/09/2023 Reviewed on 01/04/2023

Trade name: OPI Nail Lacquer Generic

(Contd. of page 6)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · Acute toxic | uy. | | | | |
|---------------|--|---|--|--|--|
| · LD/LC50 v | · LD/LC50 values that are relevant for classification: | | | | |
| 123-86-4 E | Butyl aceta | te | | | |
| Oral | LD50 | 13,100 mg/kg (rat) | | | |
| Dermal | LD50 | >5,000 mg/kg (rabbit) | | | |
| Inhalative | LC50/4 h | >21 mg/l (rat) | | | |
| 141-78-6 е | 141-78-6 ethyl acetate | | | | |
| Oral | LD50 | 5,620 mg/kg (rabbit) | | | |
| Inhalative | LC50/4 h | 1,600 mg/l (rat) | | | |
| 67-63-0 isa | 67-63-0 isopropyl alcohol | | | | |
| Oral | LD50 | 5,840 mg/kg (rat) (bw (//OECD 401)) | | | |
| Dermal | LD50 | 12,956 mg/kg (rabbit) (bw (//OECD 402)) | | | |
| Inhalative | LC50/4 h | >24.578 mg/l (rat) (air (//OECD 403)) | | | |
| 13463-67-2 | 7 titanium | dioxide | | | |
| Oral | LD50 | >5,000 mg/kg (rat) (bw (OECD 425)) | | | |
| Dermal | LD50 | >10,000 mg/kg (rabbit) | | | |
| Inhalative | LC50/4 h | >3.43 mg/l (rat) (air (OECD 403)) | | | |

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

| · IARC (International Agency for Research on Cancer) | | |
|--|------------------------|----|
| 67-63-0 | isopropyl alcohol | 3 |
| 13463-67-7 | titanium dioxide | 2B |
| 1309-37-1 | Iron Oxides (CI 77491) | 3 |
| 7631-86-9 | Silica | 3 |
| · NTP (National Toxicology Program) | | |

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 01/09/2023 Reviewed on 01/04/2023

Trade name: OPI Nail Lacquer Generic

(Contd. of page 7)

- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| 7 4 7 | T7 | | • • | | • |
|-------|---------|--------|-----|-------|-----|
| 1 4 1 | Trans | nort | min | rm ai | TON |
| | LI WILD | ו עוטע | шиш | шиши | uvu |

- · UN-Number
- · DOT, IMDG, IATA

UN1263

- · UN proper shipping name
- $\cdot DOT$

· IMDG, IATA

Paint PAINT

- · Transport hazard class(es)
- $\cdot DOT$



· Class · Label

- 3 Flammable liquids
- 3

· IMDG, IATA



· Class

3 Flammable liquids

· Label

3

- · Packing group
- · DOT, IMDG, IATA

II

· Environmental hazards:

- Not applicable.
- · Special precautions for user
- Warning: Flammable liquids
- · Hazard identification number (Kemler code): 33
- · EMS Number:

F-E,S-E

(Contd. on page 9)

Printing date 01/09/2023 Reviewed on 01/04/2023

Trade name: OPI Nail Lacquer Generic

| | (Contd. of page |
|--|--|
| · Stowage Category | B |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| \cdot DOT | |
| · Quantity limitations | On passenger aircraft/rail: 5 L |
| - | On cargo aircraft only: 60 L |
| \cdot IMDG | |
| · Limited quantities (LQ) | 5L |
| · Excepted quantities (\widetilde{EQ}) | Code: E2 |
| · · · · · · · · · · · · · · · · · · · | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| · UN ''Model Regulation'': | UN 1263 PAINT, 3, II |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 isopropyl alcohol

7727-43-7 barium sulfate

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

13463-67-7 titanium dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

| · EPA (Environmental Protection A | Agency) |) |
|-----------------------------------|---------|---|
|-----------------------------------|---------|---|

7727-43-7 barium sulfate D, CBD(inh), NL(oral)

· TLV (Threshold Limit Value)

67-63-0 isopropyl alcohol A4
13463-67-7 titanium dioxide A4

(Contd. on page 10)

Printing date 01/09/2023 Reviewed on 01/04/2023

Trade name: OPI Nail Lacquer Generic

(Contd. of page 9)

1309-37-1 Iron Oxides (CI 77491)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 titanium dioxide

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





- · Signal word Danger
- · Hazard-determining components of labeling:

Butyl acetate

ethyl acetate

isopropyl alcohol

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- · Date of preparation / last revision 01/09/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

Printing date 01/09/2023 Reviewed on 01/04/2023

Trade name: OPI Nail Lacquer Generic

(Contd. of page 10)

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

HS